



PRODUCT E-CATALOGUE

TO MAKE SOURCING
FROM CHINA FACTORIES
EASY FOR YOU.

Tel: +86-20-8756-4276

Email: support@vpchinasourcing.com

Web: www.vpchinasourcing.com



COMPANY PROFILE

**We have our office in
Guangzhou, China.**

Since 2007, we have been successfully sourcing from China factories, for our clients in international markets.

Our team is fluent in English, Mandarin Cantonese, and Hindi. Not to mention, we have visited over hundreds of China factories, even in sub-zero temperatures.

We take our sourcing seriously as it is our aim to offer A-1 service to our clients; and this can be seen from repeat orders we have been getting from our clients over the years.

Also, as you may have heard, building and nurturing positive relationships with factory management is beneficial for doing business with them.

TABLE OF CONTENTS

CEILING FANS	01
STAND FANS	04
DESK FANS	07
WALL FANS	08
16 INCH STAND FANS WITH REMOTE CONTROL	09
ELECTIC HEATERS	10
DVB-T2 & S2 LED TVS	11
RICE COOKERS	13
GAS STOVES	16
CHEST FREEZERS	17
CHEST FREEZERS	19
REFRIGERATORS	20
AIR CONDITIONERS	21
SHOWCASE COOLERS	22
STABILIZERS	23
SPEAKERS	24
ELECTRIC KETTLES	27
STANDING GAS COOKERS	30
WASHING MACHINES	32
BLENDERS	33
WATER DISPENSERS	35

CEILING FANS



56 inch
VPCF-56-6-2L
Color optional:
white
Brown
Ivory
Cream



VPCF - 24GC
CEILING FAN 24"



VPCF - 36CG
CEILING FAN 36"



VPCF - 36CQ
CEILING FAN 36"



VPCF - 56-6L
CEILING FAN 56"



VPCF - 56C
CEILING FAN 56"



VPCF - 56CC
CEILING FAN 56"



VPCF - 56JG
CEILING FAN 56"



VPCF - 56L-2
CEILING FAN 56"



VPCF - 56LT
CEILING FAN 56"



VPCF - 56PH
CEILING FAN 56"



VPCF - 56W
CEILING FAN 56"



VPCF - GW
CEILING FAN 24"

STAND FANS



VPFS40-14




VPFS40-15A



VPFS40B-M5



DESK FANS




VPFT-30-2



VPFT-30-3



VPFT-40-4



VPFT-40-12



VPFT-40-15



VPFT-40-16



VPKB-45-9



VPKB-50-7



VPFT-40-19

WALL FANS



VPKB-65-A



VPKB-50-7




VPWF-202215



VPKB-40-9



VPKB-40B-6



VPKB-45-8



VPFT-40-17



VPFT-40-18



VPKB-65-A

16 inch stand fans with REMOTE CONTROL

Voltage: 110~220V, 50-60Hz
Timer: 7.5 Hours

Power: 50-60W
Packing: 1pc/gift box



SF40-1460R



FS40-A25R



SF40-A82



SF40-1695



SF40-A30R



SF40-1693R

ELECTIC HEATERS

VOLTAGE: 110V~220V, 50Hz~60Hz
TIMER: 24 HOURS OPTIIONAL

POWER: 1000W, 1500W, 2000W, 2500W
FINS: 5-13PCS



VPH-OR127



VPH-OR511



VPH-OR320



VPH-OFRC01



VPH-OR18



VPH-OR22

DVB-T2 & S2 LED TVS



LY315-D19A



32"HD 39" FHD
DVB-T2 & S2 LED TV




LY315-D19D



32"HD 39" FHD
DVB-T2 & S2 LED TV



LY315-D19D




DVB-T2 & S2 LED TV 43" FHD



LY500-D16C



DVB-T2 & S2 LED TV 50" FHD





RICE COOKERS



VPRC-QPD1P

Capacity	Power	Description
1.0L	400W	1)flower body deluxe rice cooker 2)plastic inner steamer 3)non-stick coating inner pot 4) 220-240V~, 50/60Hz 5)packing : 1 pc/3 layer gift box, 4 pcs /CTN
1.5L	500W	
1.8L	700W	
2.2L	900W	
2.8L	1000W	
3.2L	1250W	



VPRC-QPD1F

Capacity	Power	Description
1.0L	400W	Full body rice cooker 1)flower body deluxe rice cooker 2)plastic inner steamer 3)non-stick coating inner pot 4) 220-240V~, 50/60Hz 5)packing : 1 pc/3 layer gift box, 4 pcs /CTN
1.5L	500W	
1.8L	700W	
2.2L	900W	
2.8L	1000W	
3.2L	1250W	



VPRC-AY2SS

Capacity	Power	Description
3.6L	1300W	1)Grey color body 2)stainless steel lid 3)aluminum inner pot 4)220-240V~, 50/60Hz 5)packing : 1 pc/CTNTarget market : Restaurant, hotel, school, Canteen etc
4.2L	1600W	
5.6L	1950W	
8.0L	2500W	
8.5L	2800W	
10L	3000W	
14L	4150W	



VPRC-QPD1SS

Capacity	Power	Description
1.0L	400W	1)stainless steel body deluxe rice cooker 2)plastic inner steamer 3)non-stick coating inner pot 4) 220-240V~, 50/60Hz 5)packing : 1 pc/3 layer gift box, 4 pcs /CTN
1.5L	500W	
1.8L	700W	
2.2L	900W	
2.8L	1000W	
3.2L	1250W	



VPRC-GX1

Capacity	Power	Description
0.6L	350W	1)white color body 2)Glass lid 3)aluminium inner pot with non-stick coating 4)220-240V~, 50/60Hz 5)packing : 1 pc/3 layer gift box, 4 pcs /CTN
1.0L	450W	
1.5L	550W	
1.8L	650W	
2.2L	850W	
2.8L	950W	

GAS STOVES



VPRC-GX1P

Capacity	Power	Description
0.6L	350W	1)flower body 2)stainless steel lid 3)aluminium inner pot 4)220-240V~, 50/60Hz 5)aluminium steamer 6packing : 1 pc/3 layer gift box, 4 pcs /CTN
1.0L	450W	
1.5L	550W	
1.8L	650W	
2.2L	850W	
2.8L	950W	



VPRC-QPX1SS

Capacity		Description
0.6L	350W	1)stainless steel rice cooker 2)aluminium inner pot 3)glass lid/stainless steel lid 4)220-240V~, 50/60Hz 5)packing : 1 pc/3 layer gift box, 4 pcs /CTN
1.0L	400W	
1.5L	500W	
1.8L	650W	
2.2L	900W	
2.8L	1000W	



VPRC-QPX1P

Capacity		Description
0.6L	350W	1)flower body cylindrical rice cooker 2)aluminium inner pot 3)glass lid/stainless steel lid 4)aluminium steamer 5)220-240V~, 50/60Hz 6)packing : 1 pc/3 layer gift box, 4 pcs /CTN
1.0L	400W	
1.5L	500W	
1.8L	650W	
2.2L	900W	
2.8L	1000W	

MODEL	NOS. OF BURNER	GAS TYPE	PENAL OPTIONAL	BURNER OPTIONAL	PACKING OPTIONAL
GS-007	1 BURNER	L.P.GAS	STAINLESS STEEL, TELFON, GLASS	IRON,BRASS, CAST IRON	BROWN BOX / COLOR BOX
GS-023					
GS-041					
GS-010	2 BURNERS				
GS-033					
GS-042					
GS-003	3 BURNERS				
GS-028					
GS-037					
GS-005	4 BURNERS				
GS-006					
GS-019					



GS-005



GS-007



GS-003



GS-006



GS-010



GS-018



GS-019



GS-042



GS-041



GS-037



GS-033



GS-028

CHEST FREEZERS

SPECIFICATIONS				
MODEL	VOLUME	SPECIFICATIONS	DOOR TYPE	COLOR OPTIONS
BD-100	100L	110V~220V, 50~60Hz,with lock & key, inner light optional, outside condenser, carton box packing	SINGLE	WHITE, GREY, BLUE, YELLOW, RED, GOLD
BD-200	200L		SINGLE	
BD-300	300L		SINGLE	
BD-420	420L		SINGLE	
BD-460	460L		DOUBLE	
BD-600	600L		DOUBLE	
BD-700	700L		DOUBLE	



BD-100



BD-155



BD-180



BD-200



BD-230



BD-255



BD-300



BD-350



BD-420



BD-460



BD-600



BD-700

CHEST FREEZERS

SPECIFICATIONS				
MODEL	VOLUME	SPECIFICATIONS	DOOR TYPE	COLOR OPTIONS
BD-158	158L	110V~220V, 50~60Hz, lock & key, inner light, outside condenser, cooling fan optional, carton box packing	SINGLE	WHITE, GREY, BLUE, RED, GOLD.
BD-258	258L		SINGLE	
BD-358	358L		SINGLE	
BD-418	418L		DOUBLE	
BD-518	518L		DOUBLE	
BD-608	618L		DOUBLE	



BD-608L

BD-518

BD-158



BD-418

BD-358

BD-258

REFRIGERATORS



VPF-85F

VPF-168F

VPF-185F
UPRIGHT FREEZER

VPF-225F



VPF-245L

VPF-260F D

VPF-275RY

VPF-308F

SPECIFICATIONS				
MODEL	VOLUME	SPECIFICATIONS	DOOR TYPE	COLOR OPTIONS
VPF-85F	85L	110V~220V, 50~60Hz, lock & key, inner light, outside condenser, carton box packing	SINGLE	White, black, grey, blue, yellow, red.
VPF-115R	115L		SINGLE	
VPF-168F	168L		SINGLE	
VPF-185F	185L		SINGLE	
VPF-225F	225L		DOUBLE	
VPF-260F	260F		DOUBLE	
VPF-275RY	275L		DOUBLE	
VPF-308F	308F		DOUBLE	

AIR CONDITIONERS

MODELS	SPECIFICATIONS	CAPACITY (BTU)
AC-K	SPLIT TYPE, COOLANT T1 R22a/R410a-110~220v, 50Hz~60Hz, ON/OFF, AUTO RESTART FUNCTION COOLING ONLY	9000 /12000 / 18000 / 24000 BTU
AC-L		
AC-N		
AC-Q		



SHOWCASE COOLERS



STABILIZERS



AVR LCD 1000VA



AVR-U1-1000VA



AVR-U6-1000VA



AVR-U8-1000VA



BVR-1000VA



FVR-500VA



NDR-5000VA



NDR-U-2000VA



PHR-1000VA



PHR-U-2000VA



PVR-1000VA



SPEAKERS

- FEATURES:
- Bluetooth & DC
 - Black color
 - USB & SD input (MP3 Player)
 - With FM



VPAK-1303



VPAK-PK303



VPAK-903L



VPAK-2103



VPAK-2203



VPAK-1203



VPAK-1403



VPAK-6030



VPAK-PK903



VPAK-PK6030



VPAK-1603



VPAK-2003



VPDJ-J5L



VPDJ-X05



VPSK-2403S



Electric kettles

1.8L



EK-102



EK-183



EK-DG1



EK-102



EK-183



EK-DG1



EK-102



EK-183



EK-DG1



EK-102



EK-183



EK-DG1



EK-102



EK-183



EK-DG1



EK-2001



EK-183



FS40B-M5



EK-102



EK-183



EK-DG1



EK-102



EK-183



VPSO-500AB
STANDING OVEN
4 Burners



VPSO-500AS
STANDING OVEN
4 Burners



VPSO-500BB
STANDING OVEN
4 Burners



VPSO-500SS
STANDING OVEN
4 Burners



VPSO-633
STANDING OVEN
4 Burners



VPSO-639
STANDING OVEN
4 Burners



VPSO-646
STANDING OVEN
4 Burners



VPSO-649
STANDING OVEN
4 Burners

WASHING MACHINES



XPB130-108S-3 twin-tub
(Semi-Auto 13kg)



XPB76-108S-1 twin-tub
(Semi-Auto 7.6kg)



XPB100-108S-3 twin-tub
(Semi-Auto 10kg)



XPB76-108S-2 twin-tub
(Semi-Auto 7.6kg)



XPB100-108S-5 twin-tub
(Semi-Auto 10kg)



XQB85-818-B
(Fully-Auto 8.5kg)



XOB100-858-A
(Fully-Auto 10kg)



XQB60-818A
(Fully-Auto 6Kg)

BLENDERS



1.5L TYB-202



1.5L TYB-205



1.5LTYB-358 2 in 1



1.5LTYB-908A
GLASS JAR



TYE-501
HAND MIXER



TYH-3308
HAND BLENDER



200g TYM-128
CHOPPER



4.0L TYE-530
MIXER WITH BOWL



TYM-G98
MEAT GRINDER

WATER DISPENSERS

SPECIFICATIONS		
MODEL	STANDING WATER DISPENSER	SPECIFICATIONS
WD-03		110V~220V, 50~60Hz, compressor cooling, hot & cold function, two stainless welded water tanks, Refrigerator cabinet optional, carton box packing
WD-22		
WD-85		
WD-86		
WD-87		
WD-88		
WD-123		
WD-163		



WD-85



WD-86



WD-87



WD-03



WD-22



WD-88



WD-123



WD-163